


Gol Pumps Technology Inc. - 6520 NW 77th CT Miami, FL 33166 United States - Tel. (+1)786 615 8984 - Fax (+1)786 615 7043 - www.golpumps.us - Modification without advise!

GPT	Parts and Materials Submersible Well Pump - SP 23005		Revision no.	Page: 3
	Receiver	From		
Company name Respons. Department				
Person in charge Phone number				
Fax no				
E-mail address				
Gen	eral Data			
Exar	nple: SP-90			



Material Specification-o Pumps

Pos.	Components	Standard		
01	Discharge	SUS304 / SUS316		
04	Valve Cone	SUS304 / SUS316		
11	Top Diffuser	SUS304 / SUS316		
12	Diffuser	SUS304 / SUS316		
18	Impeller	SUS304 / SUS316		
19	Ring of Impeller	SUS304 / SUS316		
21	Split Cone	SUS304 / SUS316		
22	Split Cone Nut	SUS304 / SUS316		
26	Spacing Washer For Stop Ring	Carbon+Graphite+PTFE		
32	Neck Ring Retainer	SUS304 / SUS316		
34	Strainer	SUS304 / SUS316		
36	Suction Interconnector	SUS304 / SUS316		
37	Pump Shaft	SUS431 / SUS316		
44	Coupling	SUS431 / SUS316		
47	Strap	SUS304 / SUS316		
52	Cable Guard	SUS304 / SUS316		
86	Valve Seat	SUS304+NBR / SUS316+NBR		
87	Neck Ring	SUS304+NBR / SUS316+NBR		
88	Nut	SUS304 / SUS316		
89	Bearing	NBR		
90	Screw	SUS304 / SUS316		
91	Кеу	SUS304 / SUS316		
92	O-ring	NBR		
_	tAICI 218 steining start mens an augilable or second			

*AISI 316 stainless steel pumps are available on request.

Project

Created by

Gol Pumps Technology Inc. - 6520 NW 77th CT Miami, FL 33166 United States - Tel. (+1)786 615 8984 - Fax (+1)786 615 7043 - www.golpumps.us - Modification without advise!